

B  
E FW

DOCKET NO.: L7039-0001

PATENT APPLICATION



Date of Notice  
of Allowance : June 1, 2004  
Serial No. : 09/955659

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent application of:

Louis E. Sulfstede

§  
§  
§  
§  
§

Serial No.: 09/955659

Group Art Unit: 2125

Filed: September 19, 2001

Examiner: Ryan A. Jarrett

For: AIR CONDITIONING DIAGNOSTIC ANALYZER

Mail Stop Issue Fee  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

CERTIFICATE OF MAILING BY FIRST CLASS MAIL:  
I hereby certify that this correspondence is being deposited with the  
United States Postal Service as First Class Mail in an envelope  
addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria,  
VA 22313-1450.

on . . September 22, 2004 . . . . . by Michael L. Diaz . . . . .

Signature

**TRANSMITTAL LETTER**

Dear Sir:

Transmitted for filing with the Assistant Commissioner for Patents are the following documents:

1. Response to Notice Regarding Drawings;
2. Transmittal Letter To Official Draftsman;
3. Six (6) sheets of formal drawings;
4. Copy of Notice Regarding drawings: and

**DOCKET NO.: L7039-0001**

**PATENT APPLICATION**

5. Postcard for date receipt stamping

Respectfully submitted,



Michael L. Diaz

Registration No. 40,588

Dated: 9-22-04

Michael L. Diaz, P.C.  
555 Republic Drive, Suite 200  
Plano, Texas 75074  
(972) 578-5669



**UNITED STATES PATENT AND TRADEMARK OFFICE**

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND  
DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NUMBER <b>09/955659</b>	FILING/RECEIPT DATE <b>09/19/2001</b>	FIRST NAMES APPLICANT <b>SULFSTEDE, LOUIS E.</b>	ATTORNEY DOCKET NUMBER <b>L7039-0001</b>
--	--	---	---

Michael L. Diaz  
Michael L. Diaz, P.C.  
555 Republic Drive, Suite 200  
Plano TX 75074

Examiner  
**JARRETT, RYAN**

Art Unit  
**2125**

Paper Number

Date Mailed: 09-20-04

## Notice Regarding Drawings

Corrected drawings for the above-identified application, received in the USPTO on 09/19/2001 are still not acceptable for the reason(s) identified on the attached PTO-948. Applicant is given one opportunity to correct the informalities within a two-month time period from the mailing date of this Notice. **THIS TIME PERIOD IS NOT EXTENDABLE UNDER EITHER 37 CFR 1.136(a) OR 1.136(b). Failure to take corrective action within the set period will result in abandonment of the application.**

ATTACHMENT: PTO-948 Notice of Draftsperson's Patent Review

**RETURN CORRECTED DRAWINGS TO:**  
**Commissioner for Patents**  
**P.O. Box 1450**  
**Alexandria, Virginia 22313-1450**

DOCKET NO.: L7039-0001

PATENT APPLICATION

Date of Notice

of Allowance :

June 1, 2004

Serial No. :

09/955659



**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re patent application of:

Louis E. Sulfstede

§

Serial No.: 09/955659

§

Group Art Unit: 2125

§

Filed: September 19, 2001

§

Examiner: Ryan A. Jarrett

§

For: AIR CONDITIONING DIAGNOSTIC ANALYZER

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**CERTIFICATE OF MAILING BY FIRST CLASS MAIL:**

I hereby certify that this correspondence is being deposited with the United States Postal Service as First Class Mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

on September 22, 2004 by Michael L. Diaz .....

Signature

ATTN: Official Draftsman

**RESPONSE TO NOTICE REGARDING DRAWINGS**

The Applicant received a Notice Regarding Drawings. A copy of this notice is enclosed. In response to the notice, enclosed please find six (6) sheets of formal drawings relating to the above-identified patent application. Please note that Applicant has already submitted the six formalized drawings with payment of the issue fee. However, duplicates are provided in response to the Notice.

**DOCKET NO.: L7039-0001**

**PATENT APPLICATION**

In view of the above, the present application is believed to be in a condition ready for issuance.


Date: 9-22-04

Michael L. Diaz  
Michael L. Diaz  
Registration No. 40,588

Michael Diaz  
555 Republic Drive, Suite 200  
Plano, TX 75074  
(972) 578-5669

DOCKET NO.: L7039-0001

PATENT APPLICATION



Date of Notice  
of Allowance : June 1, 2004  
Serial No. : 09/955659

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent application of:

Louis E. Sulfstede

§  
§  
§  
§  
§

Serial No.: 09/891,933

Group Art Unit: 2125

Filed: September 19, 2001

Examiner: Ryan A. Jarrett

For: AIR CONDITIONING DIAGNOSTIC ANALYZER

Mail Stop Issue Fee  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

CERTIFICATE OF MAILING BY FIRST CLASS MAIL:  
I hereby certify that this correspondence is being deposited with the  
United States Postal Service as First Class Mail in an envelope  
addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria,  
VA 22313-1450.

on September 22, 2004 . . . . . by Michael L. Diaz . . . . .

Signature *Michael L. Diaz*

ATTN: Official Draftsman

**TRANSMITTAL LETTER TO OFFICIAL DRAFTSMAN**

Enclosed please find six (6) sheets of formal drawings relating to the above-identified patent application.

The enclosed drawings each bear the date of the Notice of Allowance and Serial No. of the application on their reverse side.

**DOCKET NO.: L7039-0001**

**PATENT APPLICATION**

In view of the above, the present application is believed to be in a condition ready for issuance.

Date: \_\_\_\_\_

8-22-04

Michael L. Diaz

Michael L. Diaz

Registration No. 40,588

Michael Diaz  
555 Republic Drive, Suite 200  
Plano, TX 75074  
(972) 578-5669